

Need a NEW Boundary Fence... Colorbond® to the MAX ColorMAX®



100% Australian Owned

ColorMAX®
BOUNDARY FENCING

Manufactured from **Colorbond®**



23 Designer Colours



Strength & Durability



Easy Maintenance



Termite Proof



Fire Resistant



10 Year Warranty*



Australian Made



100% Recyclable

HEAD OFFICE / MANUFACTURING

44 Preston Street PENRITH NSW
(02) 4731 6974

ALBION PARK	(02) 4257 5977
BROOKVALE	(02) 9907 1007
CARDIFF	(02) 4956 9460
DUBBO	(02) 6882 6434
MINCHINBURY	(02) 9675 2822
NOWRA	(02) 4421 3301
QUEANBEYAN	(02) 6284 2688
SMEATON GRANGE	(02) 4647 2507
WEST GOSFORD	(02) 4324 4122
ROCKLEA QLD	(07) 3275 3700

www.dunnandfarrugia.com.au





100% Australian Owned
ColorMAX[®]
 BOUNDARY FENCING

Manufactured from **Colorbond**[®]



Stylised Gates Made to order


Think strength... think COLORBOND[®] steel

Leading scientists have been testing COLORBOND[®] steel for over 50 years in some of our country's harshest climate conditions. So you have the peace of mind of knowing COLORBOND[®] steel is made and tested for Australia and backed by a warranty* from BlueScope Steel, one of Australia's largest companies.

If it's not BRANDED it's not

Colorbond[®]

Not all coloured steel fencing is made from COLORBOND[®] steel. Be sure to get what you pay for. Fencing made from COLORBOND[®] steel is branded with a subtle laser engraving (on either side of the fence) at least three times on each 2.4 metre fencing section.



If you can't find the branding then the panels are not genuine COLORBOND[®] steel.



ColorMAX[®]
 ORIGINAL / TRIMDECK[®]
 with LouvrLAT[®]


Make your great outdoors even greater

ColorMAX[®] REFLECT[™] (same both sides)
 with LouvrLAT[®]

Why is COLORBOND[®] steel so tough?

Tested in the harshest Australian conditions over the last 50 years, your COLORBOND[®] steel fence is far more than just 'paint on steel'.

- Step 1.** The structural steel core base is made to meet Australian Standard AS 1397, ensuring strict adherence to the highest quality grade and finish of your steel.
- Step 2.** The steel base of the fencing panels is coated with Activate[™] technology, BlueScope's industry-leading metallic coating that enhances anti-corrosion performance.
- Step 3.** A thin pre-treatment layer is applied to enhance the adhesion of further coatings.
- Step 4.** A polyester primer is baked onto the surface.
- Step 5.** A topcoat of specially developed exterior grade lead-free paint (compliant with Australian Standard AS 2728) is baked on for enhanced resistance to chipping, peeling and cracking and to ensure the finish retains its look for longer.



Elegant, affordable & durable



Boundary Fencing

Manufactured from



Let it be your choice!



Whether your primary concern is security, making an aesthetic addition to your property or you want to erect the very best boundary fencing to divide you and your neighbour's property – insist on **ColorMAX®** Boundary Fencing manufactured from **COLORBOND®**.

Available in two profiles **ColorMAX® REFLECT™** (same both sides) or **ColorMAX® ORIGINAL**. 23 designer colours. Option of **LouvrLAT®** (5 louvres), **SlatLAT™** (4 slats), pressed 3D Lattice, plastic post caps & decorative metal ball caps.


ColorMAX® Boundary Fencing meets Australian Standards AS1397, AS2728, AS4040.2 and AS/NZS1170 when installed to manufacturer specifications and has a wind gust loading of 216km/h.

***Backed by the strength of a 10 year BlueScope Steel Warranty.**

Manor Red® Heritage Red



Boundary® Bowral Brown



Gully®



Riversand® Stone



Harvest® Wheat



Paperbark® Merino




Evening Haze® Moss Vale Sand



Domain® Primrose Gloss



Estate® Ironbark



Brushwood® Picton Green



Cottage Green® Caulfield Green



Wilderness® Rivergum



Pale Eucalypt® Mist Green



Surfmist® Off White



Night Sky® Black



Ironstone®



Deep Ocean® Mountain Blue



Windspray®



Dune®



Bushland® Teatree



Basalt®



Woodland Grey® Slate Grey



Monument®



Please Note: Colours shown above are as accurate as printing allows. It is advisable to see your ColorMAX® distributor for actual colour swatches.



Manufactured from **Colorbond®**

Easy To Maintain. We understand you want to choose a fence that is easy to maintain, so you're free to enjoy your weekends. Fifty years of innovation in Colorbond® steel ensures that there's no need to be spending your time painting, oiling or replacing palings. To ensure the maximum life and appearance from your Colorbond® steel fence, we recommend you simply hose it down, removing any debris, at least every 6 months. It's that easy.

- Avoid earth or soil coming in contact with the fence.
- Check drainage holes occasionally for any blockages.
- Fertilisers & garden chemicals should not be used in or around fences to limit contact.
- Slope all concrete away from posts to limit any water build up around the base of posts.
- Metalling from self drilling screws, rivet shanks and other steel particles will cause rust staining. Remove from fencing immediately following installation.